

Marijuana & Other Drug Policy: What You Need to Know

Kevin A. Sabet, PhD,





Collaboration

SAM has collaborated with credentialed and reputable groups across the country




American Medical Association



American Academy of Pediatrics



National Business Group on Health



American Academy of Child and Adolescent Psychiatry

Other leading public health authorities



Collaboration

SAM has also collaborated with over 30 state affiliates, including:

Treatment centers
Recovery groups
Prevention organizations
Law enforcement
Leading medical authorities
Volunteer citizens
Business groups





Ultra Potent Marijuana






Not this...





...but this





Marijuana Has Become Significantly More Potent Since the 1960s, 70s, 80s, and 90s



El Sohly Mahmoud A et al. "A Comprehensive Review of Cannabis Potency in the USA in the Last Decade." doi: 10.1016/j.bpsc.2020.12.016. Cannabis Policy: Public Health and Safety Issues and Recommendations. Caucus on International Narcotics Control, United States Senate,



"Green Crack" Wax







"Ear Wax"



Hash Oil Capsules



"Budder"



Butane Hash Oil (BHO)



"Shatter"

Marijuana is not "just a plant"

Derivatives contain up to 99% THC



Former U.S. Surgeon General Jerome Adams warns against marijuana use by pregnant women, teens:

"This isn't your mother's marijuana; the marijuana of today is significantly more potent."





"Public policy is outpacing science when it comes to marijuana.

"What we know is that marijuana is in fact addictive... this may come as a surprise to some people... We don't at this point have high-quality evidence that tells us that in fact, marijuana is both safe and effective for use for medical purposes."

U.S. Surgeon General Vivek Murthy July 27, 2017






A new kind of consumer: Drinking 33 cappuccinos to get 65x caffeine in one 20 oz Cola







Brain Development
Memory & Cognition
Motivation & Reward
Appetite

Immunological Function
Reproduction
Movement Coordination
Pain Regulation & Analgesia

Cannabinoid Receptors Are Located Throughout the Brain and Regulate a Host of Brain Activity



SAM promotes an evidencebased approach to marijuana policy that prioritizes public health

NON-PARTISAN BUT HIGH-PROFILE

founded by former Democratic Congressman Patrick Kennedy and leading Republican pundit David Frum

SCIENTIFIC ADVISORY BOARD

composed of more than 12 leading researchers, professors, and public health/legal experts


HUNDREDS OF THOUSANDS OF PRESS MENTIONS

including major media outlets such as The New York Times, NBC News, Slate, BBC News, and FoxNews




Marijuana today is far more potent than it ever has been

Percentage of THC and CBD in Cannabis Samples Seized by the DEA, 1995-2021



SOURCE: U Miss, Potency Monitoring Project





more likely to suffer from a psychotic disorder compared with those who have never used marijuana

https://www.thelancet.com/article/S2215-0366(19)30048-3/fulltext





70-80%


of marijuana sold in state-legal dispensaries in California was produced and grown illegally

85-90%

of the Californiaproduced marijuana is exported

NBC News 2022






Just 18 to 30 Percent of Oregon's Marijuana is Sold Legally




Legalization has not reduced the prison population

Colorado



District of




State population

Prison population





Marijuana businesses in Denver are concentrated in communities of color



Locations of pot businesses.

Dots represent businesses;
neighborhoods shaded by
income, lighter = lower-income.

Denver neighborhoods colored by race/ethnicity; green = White; orange = Latino; purple = Black; red = Asian; blue = Other.





Race / Ethnicity Plurality





Gateway drug is a loaded term

Experts agree marijuana use is associated with the use of other drugs

The use of other licit substances, such as cigarettes, and illicit substances, such as cocaine, is often preceded by the use of marijuana

Not everyone who uses marijuana will go on to use "harder" substances, but almost everyone who does use harder drugs used marijuana first

By preventing marijuana use or delaying its initiation, greater drug use may be prevented



Daily users of marijuana have greater illicit drug use

48%

as likely to use cocaine in the last year

25X

as likely to use methamphetamine in the last year

5X


as likely to misuse opioids in the last year

5X

as likely to have heavy alcohol use in the last month


2020 National Survey on Drug Use and






Marijuanarelated hospitalizations

Marijuana was the most common substance in polysubstance alcohol-related ED visits





Marijuana was the second most common drug in polysubstance methamphetamine-related ED visits



Australia's National Drug Strategy Household Survey

Non-medical marijuana users were twice as likely to have used another illicit substance

Marijuana users are 3 times more likely to smoke tobacco vs non-users

National Drug Strategy Household Survey

201

SAMS Smart
Approaches to
Marijuana

preventing another big tobacco

Especially for teens, substance use is related



There is a bidirectional relationship between the adolescent use of marijuana and tobacco and alcohol.

Those who initiate marijuana use at a young age are more likely to use tobacco and alcohol. And those who use tobacco or alcohol at a young age are also more likely to later use marijuana.

90% of adults with a substance use disorder began smoking, drinking, or using other drugs before the age of 18.




A 40 year study on the sequence of tobacco, alcohol, and marijuana use found:

"Marijuana is increasingly the first substance in the sequence of adolescent drug use."

https://pubmed.ncbi.nlm.nih.gov/30399500/



Teen marijuana use is associated with higher use of other drugs



Past-month marijuana use

No past-month marijuana use

Compared to their peers who did not use marijuana, youth aged 12-17 who used marijuana in the past month were:

7.9X 9.9X 8.9X

more likely to binge drink

more likely to use other illegal drugs, including opioids

more likely to smoke cigarettes

https://www.ibhinc.org/prevent-teen-drug-use





of young adults who smoked at least one cigarette in the past month also used marijuana in the past month 45%

of the time, marijuana and cigarettes were used together

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3507655

The prevalence of daily marijuana use:

higher among those with daily smoking

3.5X

higher among those with non-daily smoking

https://www.sciencedirect.com/science/article/abs/pii/S037687162200300

The study author included the following comments from patients concerning their marijuana use and subsequent desire to resume opiate use:

"Each time I relapsed on weed; I would immediately think heroin is so much better."

"If I'm already getting high, I might as well get really high, because opiates are better."

"Smoking weed was like a little tickle and started the cravings for heroin in motion."

"Weed was just not enough and accelerated my need for a heroin high." "Marijuana use was just not enough, and it made me want to use heroin."



Smart
Approaches to
Marijuana
preventing another big tobacco

Marijuana

Use Leads

Use Relapse

to Opiate

in Young

Adults







Not all people in recovery seek assisted or formal treatment; this is known as unassisted recovery or natural recovery





Studies of natural recoveries from alcohol, heroin, and cocaine abuse have indicated that many individuals are able to change their drug or alcohol use when the benefits of using the drug are outweighed by the negatives.

of those who resolved a 46.1% substance use problem reported an unassisted recovery.



Among those who received treatment for illicit drug use in the past year









Rates of cannabis use disorder in 2021

16.3 million


Americans with Cannabis Use Disorder

1.3 million

individuals aged 12-17

4.8 million


individuals aged 18-25






Rates of substance use disorder

Rates of substance use disorder in the US across all age groups








https://www.samhsa.gov/data/release/2021-national-survey-drug-use-and-health-nsduh-

past-year marijuana users have a cannabis use disorder

past-year alcohol users have an alcohol use disorder

https://www.samhsa.gov/data/release/2021-national-survey-drug-use-and-health-nsduhreleases





40.4%


people with alcohol use disorder have a "moderate" or "severe" case

https://www.samhsa.gov/data/release/2021-national-survey-drug-use-and-health-nsduhreleases



Most people who have cannabis use disorder are not receiving treatment


Percent of Americans who sought treatment for their substance use disorder





Most treatment is outpatient

Type of treatment service at discharge: 2020





9.8%

marijuana was the primary substance for 9.8% of admissions to treatment


94%

of individuals admitted to treatment for primary marijuana use began using it before they were 21 708%

of primary admissions for those between the ages of 15 and 18 were for marijuana

https://www.samhsa.gov/data/report/treatment-episode-data-set-teds-2020admissions





Smart




Privateer Holdings, the First Marijuana Hedge Fund











According to a recent Nationwide survey:

More Doctors smoke Camels THAN ANY OTHER CIGARETTE

OCTORS in every branch of medicine—113,597 in all—were queried in this nationwide study of cigarette preference. Three leading research organizations made the survey. The gist of the query was-What cigarette do you smoke, Doctor?

The brand named most was Camel!

The rich, full flavor and cool mildness of Camel's superb blend of costlier tobaccos seem to have the same appeal to the smoking tastes of doctors as to millions of other smokers. If you are a Camel smoker, this preference among doctors will hardly surprise you. If you're not-well, try Camels now.






Noted throat specialists report on 30-day test of Camel smokers . . . NOT ONE SINGLE CASE OF THROAT IRRITATION due to smoking CAMELS!

after a total of 2,470 weekly examinations of the throats of hundreds of men and women who smoked Camels and only Camels-for 30 consecutive days.






MILONESS











#2 I can talk about enjoyment. I've tasted it. In less of places. In less of ways.
Solver's one of them. The rich tobaccotage, the legsh month of and the box.
That's enjoyment you can take. Salem Box. Servey, I'm became lines has become N/Specialisates in Segres on an final.

ent






















annahis Playhook







Where we are in 2023

Oregon: Became the first state to decriminalize the personal possession of all drugs in 2020, legalized psilocybin for use in medical settings

Push to legalize injection sites without proper oversight or neighborhood considerations

Push to legalize psychedelics





Solutions







Enforcement

Prevention



International Efforts

Foundation for Drug Policy Solutions



Thank you for joining today! kevin@learnaboutsam.org www.learnaboutsam.org